

LED WELL LIGHTS

SL20SM

PROJECT: _____ TYPE: _____ DATE: _____

CATALOG NUMBER: _____



GRATE & EYEBROW
(ORDER SEPERATELY)



CATALOG ORDER LOGIC

EXAMPLE: SL - 20SM - L - MR16 - L24 - BRT

FIXTURE

SL - Specialty Light, Well Light

SERIES

20SM

LENS HOLDER

- L (Lens Holder)
- G (Grate)

TYPE

MR16 (Light Source)

LED TYPE

- | | |
|---|--|
| <input type="checkbox"/> L22 (3w 12v MR16 Bi-Pin LED 15°) | <input type="checkbox"/> L106 (3w 120v MR16 Bi-Pin LED 15°) |
| <input type="checkbox"/> L34 (5w 12v MR16 Bi-Pin LED 15°) | <input type="checkbox"/> L114 (5w 120v MR16 Bi-Pin LED 15°) |
| <input type="checkbox"/> L46 (7w 12v MR16 Bi-Pin LED 15°) | <input type="checkbox"/> L124 (7w 120v MR16 Bi-Pin LED 15°) |
| <input type="checkbox"/> L24 (3w 12v MR16 Bi-Pin LED 36°) | <input type="checkbox"/> L108 (3w 120v MR16 Bi-Pin LED 36°) |
| <input type="checkbox"/> L36 (5w 12v MR16 Bi-Pin LED 36°) | <input type="checkbox"/> L116 (5w 120v MR16 Bi-Pin LED 36°) |
| <input type="checkbox"/> L48 (7w 12v MR16 Bi-Pin LED 36°) | <input type="checkbox"/> L126 (7w 120v MR16 Bi-Pin LED 36°) |
| <input type="checkbox"/> L40 (5w MR16 Turtle Friendly) | <input type="checkbox"/> L119 (5w 120V MR16 Turtle Friendly) |

LENS

- Blank (Standard, Tempered Convex Glass)
- LF (Flat Stepped Lens, Tempered)

FINISH (standard finishes listed)

- BLANK (Bronze Glass Filled Composite)
- BRT (Aluminum- Brown Texture)
- BLT (Aluminum- Black Texture)
- BRS (Unfinished- Brass)

Premium Colors (See page 4 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

ACCESSORIES

For Concrete Pour Form - FAFORMSL20SM
Stamped Aluminum or Brass Eyebrow - FA135SM BLT/BRS

(Configure and order accessories separately, see page 3)

WEIGHT

- Aluminum (2lbs)
- Brass (2lbs)
- Composite (2lbs)

ADDITIONAL INFORMATION

Standard Lens Holder Shown
120-277v and alternate cap styles available
Alternate LED and beam angle options available



[IES Files available for download](#)




landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





LED WELL LIGHTS

SL20SM

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown with FA133SM (12V-120V)

Holder Accessory




Dimensions Shown with CFA134SM (12V-120V)

Grate Accessory



Dimensions Shown with FA135SMBRS (12V-120V)

Eyebrow Accessory



SPECIFICATIONS


INTERNALS	VOLTAGE	12V-120v
	WATTAGE	3w/5w/7w
	LUMENS	270lm/450lm/550lm
	WIRING	12v: Black 4 foot 18/2 zip cord from base of fixture. For 25 foot 16/2 fixture lead wire add -25F to catalog number 120-277v: Black 3 foot 18/3 zip cord from base of fixture
	SOCKET	High Temperature Ceramic GU5.3 Bi-Pin with 250° Silicone Wire Leads
	LENS	High impact clear tempered convex glass
	CONNECTION	FA05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2, or 8/2 only)
	AIMING CAPABILITIES	30° (15° either way from vertical) (12-volt ONLY)
EXTERNALS	BODY	Fiberglass reinforced Bronze Composite with molded Brass inserts for screws
	LENS HOLDER	Fiberglass reinforced Bronze composite, Cast Aluminum or Cast Brass
	MATERIALS	Fiberglass, Bronze Composite; Molded Brass. Lens/Grate: Fiberglass, Bronze Composite, cast Aluminum or Brass
	REFLECTOR	Highly polished specular Aluminum
	LENS HOLDER OPTIONS	C/FA133SM/BRS Lens holder, C/FA134SM/BRS Grate, FA135SM/BRS Eyebrow (see accessories page 3)
	ACCESSORY	FA135SM/BRS Eyebrow
	FINISH	Composite Bronze Aluminum Lens Holder/Grate: (More options available on page 4) Brass Lens Holder/Grate: (More options available on page 4)
LISTINGS	IP65. ETL rated for Indoor / Outdoor use. Suitable for wet locations Made in the United States of America	



FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM

DESIGNED
 MANUFACTURED
 IN THE USA





LED WELL LIGHTS


SL20SM

PROJECT: _____ TYPE: _____ DATE: _____


ACCESSORIES PART NUMBER(S): _____

ACCESSORIES


(Configure and order accessories separately)




FA135SM/BRS



C/FA134SM/BRS



C/FA133SM/BRS



FAFORMSL20SM
Concrete Form



FA10SL20SMAMBER



FA10SL20SMBLUE



FA10SL20SMGREEN



FA10SL20SMRED



FA10SGSL20SM



FA0806




FA98SL20SM



FA104SB20



FA05




Images enhanced to illustrate usage of mounting options. Drawings not to scale. (see page 2 for product dimensions)



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM





LED WELL LIGHTS

SL20SM

PROJECT:


TYPE:

DATE:


CATALOG NUMBER:

LIGHT DISTRIBUTION


15° Spot Beam Angle




40° Narrow Flood Beam Angle



60° Flood Beam Angle



120° Wide Flood Beam Angle



FINISHES

STANDARD FINISHES




Black Texture (-BLT)



Bronze Texture (-BRT)

PREMIUM FINISHES




Dark Bronze (-DBZ)



Black Magic (-BKM)



White Gloss (-WHT)



White Texture (-WTX)



Stucco (-STU)



Chrome Powder (-CPR)



Weathered Iron (-WIR)



Weathered Brown (-WBR)



Rust (-RST)



Luna (-LUN)



Rubbed Verde (-RBV)



Hunter Texture (-HTX)

CUSTOM FINISHES Supply RAL or Pantone here


RAL #:

Need help finding a RAL color?
<https://www.ralcolor.com/>


PANTONE #:

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



Acid Rust Copper (-CAR)
Brass (-BAR)



Black Acid Treatment (-BAT)



Acid Verde Copper (-CAV)
Brass (-BAV)



SCAN FOR FULL SIZE
COLOR SWATCHES



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA

